



Test Report

Number: SHAH00692010S1

Applicant: GOODWIN DIS TICARET LTD.STI
BOSTANCI SAPAGI DONDU SK. TIMYA CENTER
NO:8/A 34752 ICERENKOY/ISTANBUL, TURKEY
Attn: MRS. NADEZDA NAZAROVA

Date: 29 Jun, 2016

THIS IS TO SUPERSEDE REPORT
NO. SHAH00692010 DATED 24 Jun,
2016

Sample Description:

One(1) set of submitted sample said to be :
Item Name : LIGHTWEIGHT CLAY.
Item No. : GW-01 WHITE, GW-02 YELLOW, GW-03 BLUE, GW-04 RED, GW-05 GREEN,
GW-06 BLACK, GW-07 PINK, GW-08 BEIGE, GW4-01 WHITE, GW4-02
YELLOW, GW4-03 BLUE, GW4-04 RED, GW4-05 GREEN.
Labelled Age Group : Not Specified.
Packaging Provided By Applicant : Yes.
Goods Exported To : TURKEY.
Country Of Origin : China.

Tests Conducted:

As requested by the applicant, for details refer to attached page(s).

Conclusion:

Tested Samples	Standard	Result
Submitted Sample on GW-01WHITE, GW-02 YELLOW, GW-03 BLUE, GW-04 RED, GW-05 GREEN, GW-06 BLACK, GW-07 PINK, GW-08 BEIGE	EN71-1: 2014 for Mechanical And Physical Properties	Pass
	EN71-2: 2011+A1: 2014 Flammability Test	Pass
Tested component of submitted sample	EN 71-3:2013+A1:2014 for migration of certain elements	Pass

To be continued

Authorized By:
For Intertek Testing Services Ltd., Shanghai

Leo Shi
General Manager





Test Report

Number: SHAH00573909S2

Applicant: GOODWIN DIS TICARET LTD.STI
BOSTANCI SAPAGI DONDU SK. TIMYA CENTER
NO:8/A 34752 ICERENKOY/ISTANBUL, TURKEY
TEL: (0090 216) 575 36 25
Attn: MRS.NADEZDA NAZAROVA

Date: Jul 22, 2015

*THIS IS TO SUPERSEDE
REPORT NO. SHAH00573909S1
DATED Jul 10, 2015*

Sample Description:

Two(2) groups of submitted sample said to be : **Clay.**

Item Name : **Lightweight clay.**

Item No. 1150L/BEIGE, 1150L/PINK, GWF-01, GWF-02, GWF-03,
GWF-04, GWF-05, GWF-06

Labelled Age Group : 3+.

Goods Exported To : Turkey.

Country Of Origin : CHINA.

Tests Conducted:

As requested by the applicant, for details refer to attached page(s).

Conclusion:

<u>Tested Samples</u>	<u>Standard</u>	<u>Result</u>
Submitted Samples	EN71-1: 2014 for Mechanical And Physical Properties	Pass (See remark)
	EN71-2: 2011+A1: 2014 Flammability Test	Pass
Tested components (1)...(8)	EN 71-3:2013+A1:2014 for migration of certain elements	Pass

To Be Continued

Authorized By:
For Intertek Testing Services Ltd., Shanghai

Leo Shi
General Manager



Tests Conducted

1.Mechanical and Physical Test

As Per European Standard on Safety of Toys EN71-1: 2014.

Applicant's Specified Age Group for Testing: For age 3 years and above

Clause	Testing Items	Assessment
4	General Requirements	
4.1	Material Cleanliness	P
4.2	Assembly	NA
4.3	Flexible Plastic Sheeting	NA
4.4	Toy Bags	NA
4.5	Glass	NA
4.6	Expanding Materials	NA
4.7	Edges	P
4.8	Points and Metallic Wires	P
4.9	Protruding Parts	NA
4.10	Parts Moving Against Each Other	NA
4.11	Mouth Actuated Toys and Other Toys Intended to be Put in the Mouth	NA
4.12	Balloons	NA
4.13	Cords of Toy Kites and Other Flying Toys	NA
4.14	Enclosures	NA
4.15	Toys Intended to Bear the Mass of a Child	NA
4.16	Heavy Immobile Toys	NA
4.17	Projectiles	NA
4.18	Aquatic Toys and Inflatable Toys	NA
4.19	Percussion Caps Specifically Designed for Use in Toys and Toys Using Percussion Caps	NA
4.20	Acoustics	NA
4.21	Toys Containing Non-Electrical Heat Source	NA
4.22	Small Balls	NA
4.23	Magnets	NA
4.24	Yo-yo Balls	NA
4.25	Toys Attached to Food	NA
5		
5.1	General Requirements	NA
5.2	Soft-filled Toys and Soft-filled Parts of a Toy	NA
5.3	Plastic Sheeting	NA
5.4	Cords, Chains and Electrical Cables in Toys	NA
5.5	Liquid-Filled Toys	NA
5.6	Speed Limitation of Electrically-driven Ride-on Toys	NA
5.7	Glass and Porcelain	NA
5.8	Shape and Size of Certain Toys	NA
5.9	Toys Comprising Monofilament Fibres	NA
5.10	Small Balls	NA
5.11	Play Figures	NA
5.12	Hemispheric-shaped Toys	NA
5.13	Suction Cups	NA
5.14	Straps Intended to be Worn Fully or Partially Around the Neck	NA

Tests Conducted

Clause	Testing Items	Assessment
6	Packaging	P
7	Warnings, Markings and Instructions for Use	
7.1	General	NA
7.2	Toys Not Intended for Children under 36 Months	NA
7.3	Latex Balloons	NA
7.4	Aquatic Toys	NA
7.5	Functional Toys	NA
7.6	Hazardous Sharp Functional Edges and Points	NA
7.7	Projectiles	NA
7.8	Imitation Protective Masks and Helmets	NA
7.9	Toy Kites	NA
7.10	Roller skates, Inline skates, Skateboards and Certain other ride-on Toys	NA
7.11	Toys Intended to be Attached to Strung Across a Cradle, Cot, or Perambulator	NA
7.12	Liquid-filled Teethers	NA
7.13	Percussion Caps Specifically Designed for Use in Toys	NA
7.14	Acoustics	NA
7.15	Toy Bicycles	NA
7.16	Toys Intended to Bear the Mass of a Child	NA
7.17	Toys Comprising Monofilament Fibres	NA
7.18	Toy Scooters	NA
7.19	Rocking Horses and Similar Toys	NA
7.20	Magnetic/Electrical Experimental Sets	NA
7.21	Toys with Electrical Cables Exceeding 300 mm in Length	NA
7.22	Toys with Cords or Chains Intended for Children of 18 Months and over but under 36 Months	NA

Remark: P = Pass NA = Not Applicable

Remark: Additional information according to the Toy Safety Directives 2009/48/EC requirement. These information also appears as a note within the EN71 but are not standard requirements:

1. Marking

The manufacturer's and importer's name, registered trade name or registered trade mark, the address and the CE-marking shall be indicated on the toy or, where that is not possible, on its packaging or in a document accompany the toy. In addition, manufacturers shall ensure that their toys bear a type, batch, serial or model number or other element allowing their identification, or where the size or nature of the toy does not allow it, that the required information is provided on the packaging or in a document accompanying the toy.

- Manufacturer's name and address was missed on the product and packaging .
- Importer's name and address was on the packaging.
- Product identification code was on the packaging.
- CE-marking was on the packaging.

2.Flammability Test

As per European Standard on Safety of Toys EN71-2: 2011+A1: 2014

Clause	Testing Items	Assessment
4.1 *	General	P
4.2	Toys to be Worn on the Head	NA
4.3	Toy Disguise Costumes and Toys Intended to be Worn by a Child in Play	NA
4.4	Toys Intended to be Entered by a Child	NA
4.5	Soft Filled Toys	NA

Remark : P = Pass NA = Not Applicable

Tests Conducted
3.19 Toxic Elements Migration Test

(A) Test Result

As per EN 71-3: 2013 and amendment A1:2014 and followed by Inductively Coupled Plasma Atomic Emission Spectrometry, Inductively Coupled Argon Mass Spectrometry, Ion Chromatography-Inductively Coupled Plasma-Mass Spectrometry, and Gas Chromatographic - Mass Spectrometry.

Category (I): Dry, brittle, powder-like or pliable toy material

Element	Result (mg/kg)								Limit (mg/kg)
	(1)#	(2)#	(3)#	(4)#	(5)#	(6)#	(7)#	(8)#	
Aluminium (Al)	< 100	< 100	< 100	< 100	< 100	< 100	< 100	< 100	5625
Antimony (Sb)	< 10	< 10	< 10	< 10	< 10	< 10	< 10	< 10	45
Arsenic (As)	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	3.8
Barium (Ba)	< 10	< 10	< 10	< 10	< 10	< 10	< 10	< 10	1500
Boron (B)	227	325	334	225	350	207	256	397	1200
Cadmium (Cd)	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	1.3
Chromium (III) (Cr III)	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	37.5
Chromium (VI) (Cr VI)	< 0.015	< 0.015	< 0.015	< 0.015	< 0.015	< 0.015	< 0.015	< 0.015	0.02
Cobalt (Co)	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	10.5
Copper (Cu)	< 10	< 10	< 10	< 10	< 10	< 10	< 10	< 10	622.5
Lead (Pb)	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	13.5
Manganese (Mn)	< 10	< 10	< 10	< 10	< 10	< 10	< 10	< 10	1200
Mercury (Hg)	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	7.5
Nickel (Ni)	< 10	< 10	< 10	< 10	< 10	< 10	< 10	< 10	75
Selenium (Se)	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	37.5
Strontium (Sr)	< 100	< 100	< 100	< 100	< 100	< 100	< 100	< 100	4500
Tin (Sn)	< 10	< 10	< 10	< 10	< 10	< 10	< 10	< 10	15000
Organic tin	< 0.3	< 0.3	< 0.3	< 0.3	< 0.3	< 0.3	< 0.3	< 0.3	0.9
Zinc (Zn)	< 100	< 100	< 100	< 100	< 100	< 100	< 100	< 100	3750

Remark: mg/kg = Milligram per kilogram

- Organic tin test result was expressed as tributyl tin.
- Test results of Organic tin were derived from migration results of total tin.
- Migration of Chromium (III) = Migration of total Chromium – Migration of Chromium(VI), when performed confirmation test for Chromium (VI)

= Confirmation of Chromium (VI) test was performed on the tested component.

Tested Component(s): See component list in the last section of this report.

(B) Categories of various toy materials

Category I: Dry, brittle, powder like or pliable

Solid toy material from which powder-like material is released during playing and semi-solid materials that may also leave residues on the hands during play. The material can be ingested. Contamination of the hands with the material may contribute to the oral exposure of the material. (e.g. the cores of colouring pencils, chalk, crayons, modelling clays and plaster).

Category II: Liquid or sticky

Fluid or viscous toy material, which can be ingested or to which dermal exposure may occur during playing. (e.g. liquid paints, finger paints, liquid ink in pens, glue sticks, slimes, bubble solution).

Category III: Scraped-off

Solid toy material with or without a coating, which can be ingested as a result of biting, tooth scraping, sucking or licking. (e.g. coatings, lacquers, plastics, paper, textiles, glass, ceramic, metallic, wooden, bone, leather and other materials).

Tests Conducted

Components List:

- (1) Leaf green clay in plastic package
- (2) Yellow clay in plastic package
- (3) Black clay in plastic package
- (4) Magenta red clay in plastic package
- (5) White clay in plastic package
- (6) Blue clay in plastic package
- (7) Pink clay in plastic box
- (8) Beige clay in plastic box



Picture1: Submitted sample

Date Sample Received: Jun 29, 2015

Testing Period: Jun 29, 2015 to Jul 03, 2015

End of Report

This report is made solely on the basis of your instructions and/or information and materials supplied by you. It is not intended to be a recommendation for any particular course of action. Intertek does not accept a duty of care or any other responsibility to any person other than the Client in respect of this report and only accepts liability to the Client insofar as is expressly contained in the terms and conditions governing Intertek's provision of services to you. Intertek makes no warranties or representations either express or implied with respect to this report save as provided for in those terms and conditions. We have aimed to conduct the Review on a diligent and careful basis and we do not accept any liability to you for any loss arising out of or in connection with this report, in contract, tort, by statute or otherwise, except in the event of our gross negligence or wilful misconduct.



To: GOODWIN DIS TICARET LTD.STI

Attention: MRS.NADEZDA NAZAROVA

Date: Jul 22, 2015

Re: Report Revision Notification

Intertek Testing Services Report Number SHAH00573909S1 Dated Jun 10,2015.

Please be informed that all the content recorded in the above captioned report will be void. This captioned report is now superseded by a revised Intertek Testing Services Report Number SHAH00573909S2.

Please return the original captioned report to us immediately.

Thank you for your attention.

Authorized By:
For Intertek Testing Services Ltd., Shanghai

Leo Shi
General Manager



Tests Conducted

1 Mechanical and Physical Test on GW-01WHITE, GW-02 YELLOW, GW-03 BLUE, GW-04 RED, GW-05 GREEN, GW-06 BLACK, GW-07 PINK, GW-08 BEIGE

As Per European Standard on Safety of Toys EN71-1: 2014.

Applicant's Specified Age Group for Testing: For ages 3 years and up

Clause	Testing Items	Assessment
4	General Requirements	
4.1	Material Cleanliness	
4.2	Assembly	P
4.3	Flexible Plastic Sheeting	NA
4.4	Toy Bags	NA
4.5	Glass	NA
4.6	Expanding Materials	NA
4.7	Edges	NA
4.8	Points and Metallic Wires	P
4.9	Protruding Parts	P
4.10	Parts Moving Against Each Other	NA
4.11	Mouth Actuated Toys and Other Toys Intended to be Put in the Mouth	NA
4.12	Balloons	NA
4.13	Cords of Toy Kites and Other Flying Toys	NA
4.14	Enclosures	NA
4.15	Toys Intended to Bear the Mass of a Child	NA
4.16	Heavy Immobile Toys	NA
4.17	Projectiles	NA
4.18	Aquatic Toys and Inflatable Toys	NA
4.19	Percussion Caps Specifically Designed for Use in Toys and Toys Using Percussion Caps	NA
4.20	Acoustics	NA
4.21	Toys Containing Non-Electrical Heat Source	NA
4.22	Small Balls	NA
4.23	Magnets	NA
4.24	Yo-yo Balls	NA
4.25	Toys Attached to Food	NA
5	Toys intended for Children under 36 Months	
5.1	General Requirements	
5.2	Soft-filled Toys and Soft-filled Parts of a Toy	NA
5.3	Plastic Sheeting	NA
5.4	Cords, Chains and Electrical Cables in Toys	NA
5.5	Liquid-Filled Toys	NA
5.6	Speed Limitation of Electrically-driven Ride-on Toys	NA
5.7	Glass and Porcelain	NA
5.8	Shape and Size of Certain Toys	NA
5.9	Toys Comprising Monofilament Fibres	NA
5.10	Small Balls	NA
5.11	Play Figures	NA
5.12	Hemispheric-shaped Toys	NA
5.13	Suction Cups	NA
5.14	Straps Intended to be Worn Fully or Partially Around the Neck	NA



Test Report

Number: SHAH00692010S1

Tests Conducted

Clause	Testing Items	Assessment
6	Packaging	NA
7	Warnings, Markings and Instructions for Use	
7.1	General	NA
7.2	Toys Not Intended for Children under 36 Months	NA
7.3	Latex Balloons	NA
7.4	Aquatic Toys	NA
7.5	Functional Toys	NA
7.6	Hazardous Sharp Functional Edges and Points	NA
7.7	Projectiles	NA
7.8	Imitation Protective Masks and Helmets	NA
7.9	Toy Kites	NA
7.10	Roller skates, Inline skates, Skateboards and Certain other ride-on Toys	NA
7.11	Toys Intended to be Attached to Strung Across a Cradle, Cot, or Perambulator	NA
7.12	Liquid-filled Teethers	NA
7.13	Percussion Caps Specifically Designed for Use in Toys	NA
7.14	Acoustics	NA
7.15	Toy Bicycles	NA
7.16	Toys Intended to Bear the Mass of a Child	NA
7.17	Toys Comprising Monofilament Fibres	NA
7.18	Toy Scooters	NA
7.19	Rocking Horses and Similar Toys	NA
7.20	Magnetic/Electrical Experimental Sets	NA
7.21	Toys with Electrical Cables Exceeding 300 mm in Length	NA
7.22	Toys with Cords or Chains Intended for Children of 18 Months and over but under 36 Months	NA

Remark: P = Pass NA = Not Applicable

Remark: Additional information according to the Toy Safety Directives 2009/48/EC requirement. These information also appears as a note within the EN71 but are not standard requirements:

1. Marking

The manufacturer's and importer's name, registered trade name or registered trade mark, the address and the CE-marking shall be indicated on the toy or, where that is not possible, on its packaging or in a document accompany the toy. In addition, manufacturers shall ensure that their toys bear a type, batch, serial or model number or other element allowing their identification, or where the size or nature of the toy does not allow it, that the required information is provided on the packaging or in a document accompanying the toy.

- All the above markings were presented .

Date Sample Received: Jun.16, 2016

Testing Period: Jun.16, 2016 To Jun.21, 2016

To be continued

Intertek Testing Services Ltd., Shanghai

Block B, Jining Business Square, No.801 YiShan Road, Shanghai, China. 200233
上海天祥質量技術服務有限公司
上海市宜山路 801 號金陵商務廣場 B 座 200233
Telephone: +86 21 6120 6060 Facsimile: +86 21 6127 9740
www.intertek.com www.intertek.com.cn

Tests Conducted

2 Flammability Test on GW-01WHITE, GW-02 YELLOW, GW-03 BLUE, GW-04 RED, GW-05 GREEN, GW-06 BLACK, GW-07 PINK, GW-08 BEIGE

As per European Standard on Safety of Toys EN71-2: 2011+A1: 2014

Clause	Testing Items	Assessment
4.1	General	P
4.2	Toys to be worn on the head	
4.2.2	Beards, moustaches, wigs, etc., made from hair, pile or material with similar features, which protrude 50 mm or more from the surface of the toy	NA
4.2.3	Beards, moustaches, wigs, etc., made from hair, pile or material with similar features, which protrude less than 50 mm from the surface of the toy	NA
4.2.4	Full or partial moulded head masks	NA
4.2.5	Flowing elements of toys to be worn on the head	NA
4.3	Toy Disguise Costumes and Toys Intended to be Worn by a Child in Play	NA
4.4	Toys Intended to be Entered by a Child	NA
4.5	Soft Filled Toys	NA

Remark : P = Pass NA = Not Applicable

Date Sample Received: Jun.16, 2016

Testing Period: Jun.16, 2016 To Jun.21, 2016

3 19 Toxic Elements Migration Test

(A) Test Result

As per EN 71-3: 2013 and amendment A1:2014 and followed by Inductively Coupled Plasma Atomic Emission Spectrometry, Inductively Coupled Argon Mass Spectrometry, Ion Chromatography-Inductively Coupled Plasma-Mass Spectrometry, and Gas Chromatographic - Mass Spectrometry.

Category (I): Dry, brittle, powder-like or pliable toy material

Element	Result (mg/kg)				Limit (mg/kg)
	(1)	(2)	(3)	(4)#	
Aluminium (Al)	< 100	< 100	< 100	< 100	5625
Antimony (Sb)	< 10	< 10	< 10	< 10	45
Arsenic (As)	< 1.0	< 1.0	< 1.0	< 1.0	3.8
Barium (Ba)	< 10	< 10	< 10	< 10	1500
Boron (B)	252	357	313	336	1200
Cadmium (Cd)	< 0.5	< 0.5	< 0.5	< 0.5	1.3
Chromium (III) (Cr III)	< 5.0	< 5.0	< 5.0	< 5.0	37.5
Chromium (VI) (Cr VI)	< 0.015	< 0.015	< 0.015	< 0.015	0.02
Cobalt (Co)	< 1.0	< 1.0	< 1.0	< 1.0	10.5
Copper (Cu)	< 10	< 10	< 10	< 10	622.5
Lead (Pb)	< 1.0	< 1.0	< 1.0	< 1.0	13.5
Manganese (Mn)	< 10	< 10	< 10	< 10	1200
Mercury (Hg)	< 1.0	< 1.0	< 1.0	< 1.0	7.5
Nickel (Ni)	< 10	< 10	< 10	< 10	75
Selenium (Se)	< 5.0	< 5.0	< 5.0	< 5.0	37.5
Strontium (Sr)	< 100	< 100	< 100	< 100	4500
Tin (Sn)	< 10	< 10	< 10	< 10	15000
Organic tin	< 0.3	< 0.3	< 0.3	< 0.3	0.9
Zinc (Zn)	< 100	< 100	< 100	< 100	3750

To be continued

Test Report

Number: SHAH00692010S1

Tests Conducted

Element	Result (mg/kg)				Limit (mg/kg)
	(5)	(6)	(7)	(8)	
Aluminium (Al)	< 100	< 100	< 100	< 100	5625
Antimony (Sb)	< 10	< 10	< 10	< 10	45
Arsenic (As)	< 1.0	< 1.0	< 1.0	< 1.0	3.8
Barium (Ba)	< 10	91	< 10	< 10	1500
Boron (B)	176	299	311	272	1200
Cadmium (Cd)	< 0.5	< 0.5	< 0.5	< 0.5	1.3
Chromium (III) (Cr III)	< 5.0	< 5.0	< 5.0	< 5.0	37.5
Chromium (VI) (Cr VI)	< 0.015	< 0.015	< 0.015	< 0.015	0.02
Cobalt (Co)	< 1.0	< 1.0	< 1.0	< 1.0	10.5
Copper (Cu)	31	< 10	< 10	< 10	622.5
Lead (Pb)	< 1.0	< 1.0	< 1.0	< 1.0	13.5
Manganese (Mn)	< 10	< 10	< 10	< 10	1200
Mercury (Hg)	< 1.0	< 1.0	< 1.0	< 1.0	7.5
Nickel (Ni)	< 10	< 10	< 10	< 10	75
Selenium (Se)	< 5.0	< 5.0	< 5.0	< 5.0	37.5
Strontium (Sr)	< 100	< 100	< 100	< 100	4500
Tin (Sn)	< 10	< 10	< 10	< 10	15000
Organic tin	< 0.3	< 0.3	< 0.3	< 0.3	0.9
Zinc (Zn)	< 100	< 100	< 100	< 100	3750

Remark: mg/kg = Milligram per kilogram

- Organic tin test result was expressed as tributyl tin.
- Unless specified, test results of Chromium (III), Chromium (VI) and Organic tin were derived from migration results of total chromium and tin respectively.
- Migration of Chromium (III) = Migration of total Chromium – Migration of Chromium(VI), when performed confirmation test for Chromium (VI)

= Confirmation of Chromium (VI) test was performed on the tested component.

Tested Components: See component list in the last section of this report.

(B) Categories of various toy materials

Category I: Dry, brittle, powder like or pliable

Solid toy material from which powder-like material is released during playing and semi-solid materials that may also leave residues on the hands during play. The material can be ingested. Contamination of the hands with the material may contribute to the oral exposure of the material. (e.g. the cores of colouring pencils, chalk, crayons, modelling clays and plaster).

Category II: Liquid or sticky

Fluid or viscous toy material, which can be ingested or to which dermal exposure may occur during playing. (e.g. liquid paints, finger paints, liquid ink in pens, glue sticks, slimes, bubble solution).

Category III: Scraped-off

Solid toy material with or without a coating, which can be ingested as a result of biting, tooth scraping, sucking or licking. (e.g. coatings, lacquers, plastics, paper, textiles, glass, ceramic, metallic, wooden, bone, leather and other materials).

Date Sample Received: Jun.16, 2016

Testing Period: Jun.16, 2016 To Jun.24, 2016

To be continued

Tests Conducted



Components List:

- (1) White clay.
- (2) Black clay.
- (3) Yellow clay.
- (4) Blue clay.
- (5) Green clay.
- (6) Red clay.
- (7) Pink clay.
- (8) Beige clay

End of report

This report is made solely on the basis of your instructions and/or information and materials supplied by you. It is not intended to be a recommendation for any particular course of action. Intertek does not accept a duty of care or any other responsibility to any person other than the Client in respect of this report and only accepts liability to the Client insofar as is expressly contained in the terms and conditions governing Intertek's provision of services to you. Intertek makes no warranties or representations either express or implied with respect to this report save as provided for in those terms and conditions. We have aimed to conduct the Review on a diligent and careful basis and we do not accept any liability to you for any loss arising out of or in connection with this report, in contract, tort, by statute or otherwise, except in the event of our gross negligence or wilful misconduct.

Intertek

To: GOODWIN DIS TICARET LTD.STI
Attention: MRS. NADEZDA NAZAROVA

Date: 29 Jun, 2016

Re: Report Revision Notification

Intertek Testing Services Report Number SHAH00692010 Dated 24 Jun, 2016.

Please be informed that all the content recorded in the above captioned report will be void. This captioned report is now superseded by a revised Intertek Testing Services Report Number SHAH00692010S1.

Thank you for your attention.

Authorized By:
For Intertek Testing Services Ltd., Shanghai

Leo Shi
General Manager



Intertek Testing Services Ltd., Shanghai

Block B, Jinling Business Square, No.801 YiShan Road, Shanghai, China. 200233
上海天祥質量技術服務有限公司
上海市宜山路 801 號金陵商務廣場 B 座 200233
Telephone: +86 21 6120 6060 Facsimile: +86 21 6127 9740
www.intertek.com www.intertek.com.cn